Granbury Health Department - 116 West Bridge St.
Retail Food Establishment Inspection Report

Risk Cat.: 100-90=A, 89-80=B, 79-70=C, 69-61=48hr. reinspection, 60 or less=cessation

San Code	Mo	Day	Yr	Insp. Time	FPM Certified	CFN	Permit No.	Risk Cat.
55	1	17	14		Yes / No	Willie Jensen 2018	14-	97

Purpose of Inspection: 1-Compliance (2-Routine) 3-Field Investigation 4-Visit 5-Other

Establishment: Willie & Dicks | Owner:

Physical Address: 424 Fall Creek Hwy | Zip: 76049 | Phone: ( )

DEMERITS (5 Pts)	**Food (PHF) Temperature/Time Requirements** Violations Require Immediate Corrective Action	Remarks	COS
	1. Proper Cooling for Cooked/Prepared Food	Ref -	36
	2. Cold Hold (41°F/45°F)	Freezer	-29
	3. Hot Hold (135°F)		
	4. Proper Cooking Temperatures per PHF		
	5. Rapid Reheating (165°F in 2 Hrs)		

Food/Temperatures

DEMERITS (4 Pts)	**Personnel/Handling/Source Requirements** Violations Require Immediate Corrective Action	Remarks	COS
	6. Personnel with Infections Restricted/Excluded	Suppliers Supply Restaurant Depot & Local Groceries	
	7. Proper/Adequate Handwashing		
	8. Good Hygienic Practices (Eating/Drinking/Smoking/Other)		
	9. Approved Source/Labeling		
	10. Sound Condition		
	11. Proper Handling of Ready-To-Eat Foods		
	12. Cross-Contamination of Raw/Cooked Foods/Other		
	13. Approved Systems (HACCP Plans/Time as Public Health Control)		
	14. Water Supply - Approved Source/Sufficient Capacity/Hot and Cold Under Pressure		

DEMERITS (3 Pts)	**Facility and Equipment Requirements** Violations Require Immediate Corrective Action, Not To Exceed 10 Days	Remarks	COS
	15. Equipment Adequate to Maintain Product Temperature		
	16. Handwash Facilities Adequate and Accessible		
	17. Handwash Facilities with Soap and Towels		
	18. No Evidence of Insect Contamination	Pest Control	
	19. No Evidence of Rodents/Other Animals		
	20. Toxic Items Properly Labeled/Stored/Used		
	21. Manual Warewashing and Sanitizing at ( ) ppm/temperature	Sodium Hypochlorite test strips	
	22. Mechanical Warewashing and Sanitizing at ( ) ppm/temperature		
	23. Approved Sewage/Wastewater Disposal System, Proper Disposal		
	24. Thermometers Provided/Accurate/Properly Calibrated (± 2°F)		
X	25. Food Contact Surfaces of Equipment and Utensils Cleaned/Sanitized/Good Repair	Observed sliee missing on 2 different light fixtures please replace	
	26. Posting of Consumer Advisories (Heimlich/Raw Shellfish Warning/Buffet Plate)		
	27. Food Establishment Permit / FPM Certification		
Subtotals	**Other Violations** - Violations Require Corrective Action, Not To Exceed 90 Days Or The Next Inspection, Whichever Comes First		

5 Pts	
4 Pts	
3 Pts	1
Total Demerits	3

Inspected by:	Jeannie Johnson	Print: Jeannie Johnson RS# 4515	
Received by:		Print:	Title:

Follow-up Insp. YES (NO)

Form No. E-5 (7/02)